

MEET THE NEW TYPES



TYPE
HARPER
4 X 12





FIRST FLOOR



SECOND FLOOR

HARPER SUPERIOR

4 X 12

LB : 54 | LT : 48

 2

 2

 1



FIRST FLOOR



SECOND FLOOR

HARPER DELUXE

4 X 12

LB : 67 | LT : 48

 2

 2

 1

TYPE

IVY

4,5 X 12



IVY SUPERIOR

4,5 X 12 LB : 62 | LT : 54



FIRST FLOOR



SECOND FLOOR

 2

 2

 1

IVY DELUXE

4,5 X 12 LB : 74 | LT : 54



FIRST FLOOR



SECOND FLOOR

 3

 2

 1

TYPE

LILY

6 X 15





FIRST FLOOR



SECOND FLOOR

LILY SUPERIOR

6 X 15 LB : 94 | LT : 90

 3

 2

 1

LILY DELUXE

6 X 15 LB : 103 | LT : 90

 4

 2

 1

TYPE

LILAC

9 X 15





FIRST FLOOR



SECOND FLOOR

LILAC SUPERIOR

9 X 15 LB : 168 | LT : 135

 3

 3

 2

LILAC DELUXE

9 X 15 LB : 183 | LT : 135

 4+1

 3+1

 2



BUILDING SPECIFICATIONS

Air	Water Treatment Standar PDAM
Listrik	Lebar 4 : 2200 Watt
	Lebar 4,5 & 6 : 3500 Watt
	Lebar 9 : 4400 Watt
Pondasi	Tiang Pancang
Konstruksi	Beton Bertulang
Dinding Bangunan Utama	Batu Bata Ringan
Lantai Ruang Utama	Keramik Kualitas Ekspor
Plafond	Rangka Metal dengan Gypsum Board
Atap	Rangka Galvalum dengan Penutup Genteng Beton
Pintu Utama	Solid Engineering Door
Pintu Ruangan	Engineering Door
Kusen Jendela	Kusen – Daun Jendela Aluminium
Saitair	TOTO
Canopy	Rangka Hollow dengan penutup Polycarbonat

SHOW UNIT IVY

OPEN EVERYDAY
09.00 – 17.00 WIB



OTELAND
SHOW UNIT
Ivy
4.5 x 12
74 m²
LIVING AREA
\$4.997

